

2024 1

	30	0.05	40	100	0.25	0.15	0.02	25	0.5	0.3	4.5	1.5	0.1	
	%	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
2024 01 03	22.4	0.00875	ND	ND	ND	ND	ND	1.02	ND	0.0161	0.09	ND	0.0249	
2024 01 09	22.2	ND	ND	0.04	ND	ND	ND	1.10	ND	0.236	0.09	ND	0.0876	
2024 01 18	22.7	ND	ND	0.03	ND	ND	ND	1.00	ND	0.256	0.08	ND	0.0888	
2024 01 24	23.0	ND	ND	0.02	ND	ND	ND	0.86	ND	0.0271	0.07	ND	0.0864	
2024 02 02	24.4	0.00026	ND	0.04	ND	ND	ND	1.21	ND	0.254	ND	ND	0.0795	
2024 02 29	21.6	0.00032	ND	0.06	ND	ND	ND	0.78	ND	0.0245	0.12	ND	0.0418	
2024 03 6	21.4	0.0008	ND	0.04	ND	ND	ND	0.66	ND	0.012	0.12	ND	0.0322	
2024 03 15	18.0	0.00029	ND	0.06	ND	ND	ND	1.02	ND	0.00534	0.14	ND	0.0125	
2024 03 21	13.9	0.00021	0.01	0.08	ND	ND	ND	0.72	ND	0.0791	0.08	ND	0.0262	
2024 03 27	21.3	0.00037	ND	0.04	ND	ND	ND	0.60	ND	0.0281	0.08	ND	0.0213	

" ND"